

Elevate patient care. Elevate patient satisfaction. Honor patients wishes and values.

VITAS Can Help Patients with Sepsis Who Survive Hospitalization and Require Post-Acute Care

Studies show that patients who have a functional and cognitive impairment prior to a septic event and, who survive hospitalization, have a high 6 month mortality and an increased likelihood of dying within 90 days of hospital discharge that supports hospice as a relevant and important post-acute care option.¹

These patients may benefit from more resources than a home health agency or a SNF can provide. If these patients are no longer responding to maximized treatment options, you may need to consider choosing another level of care.



Choose VITAS at Home.

Choose the right level of care at the right time

- Patient: HS, 66-year-old female presented to ED with multiple infected 1st & 2nd degree burn wounds to chest, abdomen, thighs & arms as a result of slipping and falling on hot cooking oil seven days ago. Husband is the primary caregiver.
- Medical history: COPD, controlled IDDM, severe PVD, obesity.
- Treatments: Spiriva and Advair. Oxygen

- dependent 2LNC for with SOB on minimal exertion.
- **Symptoms:** AAOX2, delirium, fever 104F (>40C), tachycardia(>120bpm), tachypnea (>28/min), hypotensive (BP 90/60), leukocytosis (WBC>15 & 15% bands), lung sounds with bilateral congestion & wheezing to bases, grossly infected 1st & 2nd degree oil burn wounds (60% TBSA).

Is HS hopice eligible? Yes

- COPD, SOB with minimal exertion on 2L NC for SOB with optimal medical management
- Functional decline: 1/6 ADLs, s/p fall, unsteady gait

 Grossly infected 1st & 2nd degree oil burn wounds (60% TBSA)

Increased healthcare utilization

Based on HS' high healthcare utilization and disease progression, a goals-of-care conversation is recommended. HS is referred to VITAS and services are started immediately.

Sepsis and Hospice Eligibility

At Hospital Discharge:

- Hospice eligible, not previously identified
 - Cancer-solid tumor and hematologic
 - Heart disease
 - Lung disease
 - Dementia
- Pre hospital functional ability
 - Physical impairment
 - 1 or 6 ADL or 1 or 5 IADL
 - Cognitive status
 - Any degree of dementia



Download this free app designed for clinicians. While it cannot replace the professional judgment of a referring physician or other healthcare professional, the app clearly and simply delineates the primary clinical criteria for hospice eligibility, making a difficult job easier.



800.93.VITAS
VITAS.com/referral



